Gl	GENERAL QUESTIONS		
	Country:		
	Name of health care facility:		
	Address of health care facility:		
	Phone number and email of health care facility:		
	Date of data collection (dd/mm/yyyy): Name and professional title of staff filling out form: Contact information of staff completing this assessment (phone and email):		
☐ Health Centre/Clinic ☐ District/Rural Hospita		☐ Health Centre/Clinic ☐ District/Rural Hospital/First referral Hospital	
	Level of facility being evaluated	☐ Provincial/Secondary Hospital	
		☐ Tertiary/Teaching/Specialized Hospital	
	Type of facility being evaluated	□ Public □ Private □ NGO □ Mission □ Other	

INFRASTRUCTURE			
General Infrastructure - How often is this item available and func	tional?		
Electricity/operational power generator	□ 0 (Never) □ 1-25% (Rarely) □ 26-50% (Sometimes) □ 51-75% (Often) □ 76-99% (Almost always) □ 100% (Always)		
Running water	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Internet	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Oxygen	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Total number of admissions in a year	#		
Total number of outpatients seen in a year	#		
Total number of inpatient hospital beds	#		
Total number of surgical beds	#		
Total number of functioning operating rooms (major and minor)	#		
Total number of post-anaesthesia care beds (0 for none)	#		
Total number of advanced care/ICU beds	#		
Total number of functional ventilators in the ICU	#		
Pharmacy – How often it this available for surgery?			
Inhalational general anaesthesia	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
IV sedation anaesthesia (Ketamine, Midazolam, Propofol)	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Spinal anaesthesia	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Regional anaesthesia available	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Peri-operative antibiotics	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
IV fluids	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Muscle relaxants/paralytics	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Sedatives	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Vasopressors	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Post-op narcotics	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Radiology – How often do you have access to functioning radiology equipment?			
X-ray machine	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Ultrasound	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
CT scanner	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
MRI scanner	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Blood Supply			
How often are you able to administer a blood transfusion within 2 hours in your facility?	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Laboratory	•		
How often is the lab able to run a Complete Blood Count (haemoglobin, haematocrit, WBC, platelets)?	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		



	How often is the lab able to run a chemistry panel (BUN, creatinine, Na, K, etc.)?	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)
	How often is the lab able to run coagulation studies (PT, PTT, BT, INR)?	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)
	How often is the lab able to do a urinalysis?	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)
	How often are you able to screen for an infectious panel (HIV, hepatitis virus)?	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)
Access and referral systems		
	What is the population served by this facility?	#
	What percentage of your patients can reach the hospital within 2 hours of travel?	□ 0 (None) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (All)
	Total number of patients that you refer for surgical intervention to a higher level facility per year	#

SERVICE DELIVERY			
Procedures - Primary health care facility			
	he following procedures have been performed	at this facility in the past 1 year?	
	tetric delivery	#	
Suturing lad	ceration	#	
Drainage of	fabscess	#	
4. Male circun		#	
5. Manageme	nt of non-displaced fractures	#	
Wound deb	ridement	#	
7. Removal of	foreign body (throat/eye/ear/nose)	#	
8. Biopsy (lym	nph node, mass, other)	#	
Procedures - First-	evel hospital		
How many of t	he following procedures have been performed	at this facility in the past 1 year?	
Obstetrics, gyna	aecology, family planning		
 Caesarean 		#	
Vacuum ex	traction/forceps delivery	#	
Ectopic pre	gnancy	#	
4. Manual vac	cuum aspiration and dilation and curettage	#	
Tubal ligation	on	#	
6. Vasectomy		#	
7. Hysterector	my	#	
8. Inspection	with acetic acid, cryotherapy for cervical lesions	#	
General Surger	/		
9. Repair of in	testinal perforations	#	
10. Appendecto		#	
11. Bowel obst		#	
12. Colostomy/	ileostomy	#	
Gallbladder		#	
14. Hernia, incl	uding incarceration	#	
15. Hydrocelec	tomy	#	
16. Relief of uri	nary obstruction	#	
Injury			
	on with advanced life support measures,	#	
	ırgical airway		
18. Tube thorac		#	
19. Trauma lap		#	
20. Fracture re-		#	
21. Irrigation ar	nd debridement of open fractures	#	
22. Placement	of external fixator	#	
23. Escharoton	ny/fasciotomy	#	
24. Amputation		#	



26. Burt hole		
ADD-IF-BUTTER OF THE STATE OF	25. Skin grafting	
27. Drainage of septic arthritis		#
28. Debridement of osteomyelitis		
Nowmany of the following procedures have been performed at this facility in the past 1 year?		
How many of the following procedures have been performed at this facility in the past 1 year?		#
1. Repair of Jeth Ip and palate # # # # # # # # # #		
Repair of cleft lip and palate #		at this facility in the past 1 year?
3. Repair of club foot		
# S. Repair of annorectal malformation and Hirschsprung's Disease 6. Cataract extraction and insertion of intraocular lens 7. Eyelid surgery for trachoma # Number of laparotomies performed last year Number of open fracture repairs performed last year Number of open fracture repairs performed last year Number of open fracture repairs performed last year Number of pasedatric surgeries (<15 yrs) performed last year # Number of pasedatric surgeries (<15 yrs) performed last year What percent of cases were emergency/urgent (non-elective) cases? Quality and Safety What is the average number of post-operative, in-hospital deaths per year!? How often is the WHO surgical safety checklist utilized in the operating rooms? How often is pulse oximetry used in the operating rooms? For lan number of functional anaesthesia machines in the ORs Pulse oximetry Adult cropharyngeal airway Paediatric oropharyngeal airway Paediatric oropharyngeal airway Paediatric endotracheal tube Q (Never) 1.25% 26-50% 51-75% 76-99% 100% (Always) Q (Never) 1.25% 26-50%		
S. Repair of anorectal malformation and Hirschsprung's Disease #		
Disease		#
T. Eyelid surgery for trachoma		#
Number of laparotomies performed last year	Cataract extraction and insertion of intraocular lens	#
Number of laparotomies performed last year	7. Eyelid surgery for trachoma	#
Number of C-sections performed last year	Surgical Volume	
Number of open fracture repairs performed last year # Number of surgeries performed last year # Number of paediatric surgeries (<15 yrs) performed last year # What percent of cases were emergency/urgent (non-elective) cases?	Number of laparotomies performed last year	#
Number of open fracture repairs performed last year # Number of surgeries performed last year # Number of paediatric surgeries (<15 yrs) performed last year # What percent of cases were emergency/urgent (non-elective) cases?		#
Number of surgeries performed last year # Number of paediatric surgeries (<15 yrs) performed last year # What percent of cases were emergency/urgent (non-elective) % %		
Number of paediatric surgeries (<15 yrs) performed last year What percent of cases were emergency/urgent (non-elective) cases? Cuality and Safety What is the average number of post-operative, in-hospital #		#
What percent of cases were emergency/urgent (non-elective) cases? Quality and Safety		#
Cases?		0/
What is the average number of post-operative, in-hospital deaths per year¹?		70
What is the average number of post-operative, in-hospital deaths per year'?		
deaths per year¹?		
O (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always)	deaths per year ¹ ?	#
Total number of functional anaesthesia machines in the ORs		□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)
Derating Room Equipment and Supplies - How often are the following equipment available and functional for surgery?	How often is pulse oximetry used in the operating rooms?	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)
Total number of functional anaesthesia machines in the ORs	Operating Room Equipment and Supplies - How often are the follow	owing equipment available and functional for surgery?
Adult oropharyngeal airway	Total number of functional anaesthesia machines in the ORs	#
Paediatric orpharyngeal airway	Pulse oximetry	#
Paediatric orpharyngeal airway	Adult oropharyngeal airway	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)
Adult endotracheal tube		
Paediatric endotracheal tube		
Adult laryngoscope		
Paediatric laryngoscope		
Adult facemask bag valve 0 (Never) 0 1-25% 26-50% 51-75% 76-99% 100% (Always) Paediatric facemask bag valve 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Difficult airway kit (LMA) 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Adult Magill forceps 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Paediatric Magill forceps 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Blood pressure monitor or cuff 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Pulse oximeter 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Stethoscope 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Suction apparatus 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Thermometer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Nasogastric Tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Light source 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Chest tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Electrocautery 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Autoclave/Sterilizer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Forceps 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always)		
Paediatric facemask bag valve		
Difficult airway kit (LMA) □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Adult Magill forceps □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Paediatric Magill forceps □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Blood pressure monitor or cuff □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Pulse oximeter □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Stethoscope □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Suction apparatus □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Thermometer □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Nasogastric Tube □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Light source □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Chest tube □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Electrocautery □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Autoclave/Sterilizer □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Forceps □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Adult Magill forceps 0 (Never) 0 1-25% 26-50% 51-75% 76-99% 100% (Always) Paediatric Magill forceps 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Blood pressure monitor or cuff 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Pulse oximeter 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Stethoscope 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Suction apparatus 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Thermometer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Nasogastric Tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Light source 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Chest tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Electrocautery 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Autoclave/Sterilizer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Forceps 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always)		
Paediatric Magill forceps □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Blood pressure monitor or cuff □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Pulse oximeter □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Stethoscope □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Suction apparatus □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Thermometer □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Nasogastric Tube □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Light source □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Chest tube □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Electrocautery □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Autoclave/Sterilizer □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Forceps □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Blood pressure monitor or cuff 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Pulse oximeter 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Stethoscope 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Suction apparatus 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Thermometer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Nasogastric Tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Light source 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Chest tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Electrocautery 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Autoclave/Sterilizer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Forceps 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always)	•	
Pulse oximeter 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Stethoscope 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Suction apparatus 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Thermometer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Nasogastric Tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Light source 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Chest tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Electrocautery 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Autoclave/Sterilizer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Forceps 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always)	u i	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)
Pulse oximeter 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Stethoscope 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Suction apparatus 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Thermometer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Nasogastric Tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Light source 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Chest tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Autoclave/Sterilizer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Forceps 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always)	Blood pressure monitor or cuff	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)
Stethoscope 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Suction apparatus 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Thermometer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Nasogastric Tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Light source 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Chest tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Electrocautery 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Autoclave/Sterilizer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Forceps 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always)	Pulse oximeter	
Suction apparatus 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Thermometer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Nasogastric Tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Light source 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Chest tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Electrocautery 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Autoclave/Sterilizer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Forceps 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always)		
Thermometer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Nasogastric Tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Light source 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Chest tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Electrocautery 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Autoclave/Sterilizer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Forceps 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always)	•	
Nasogastric Tube □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Light source □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Chest tube □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Electrocautery □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Autoclave/Sterilizer □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Forceps □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Light source 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Chest tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Electrocautery 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Autoclave/Sterilizer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Forceps 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always)		
Chest tube 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Electrocautery 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Autoclave/Sterilizer 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always) Forceps 0 (Never) 1-25% 26-50% 51-75% 76-99% 100% (Always)		
Electrocautery □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Autoclave/Sterilizer □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Forceps □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Autoclave/Sterilizer □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always) Forceps □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Forceps □ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
Syringes with needles □ 0. (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-00% □ 100% (Alwaye)		
	Syringes with needles	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)



Scalpel	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always
Scissors	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always
Needle holder	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always
Retractor	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always
Sterile gloves	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always
Urinary catheters	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always
Tourniquet	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always
Face masks	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Alway
Gowns	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always
Disinfectant hand wash	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Alway
Sterilizing skin prep	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always
Eye protection	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always
Sharps disposal container	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Alway
Non-sterile Examination Gloves	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Alway
Sutures	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Alway

WORKFORCE		
Surgeon/Anaesthesiologist/Obstetrician/Provider Density		
Providers	Full time	Part time
What is the number of certified surgeons who work at this	#	#
hospital (full vs part time) Number of certified paediatric surgeons	#	#
Number of certified OBGYNs	#	#
Number of certified anaesthesiologists	#	#
Number of general doctors providing surgery	#	#
Number of general doctors providing C-sections		
Number of general doctors providing anaesthesia	#	#
Number of non-physicians providing surgery	#	#
Number of non-physicians providing C-sections	#	#
Number of non-physician providing anaesthesia	#	#
Number of midwives	#	#
Number of nurses on the surgical wards	#	#
Number of certified radiologists	#	#
Number of certified pathologists	#	#
Number of certified pharmacists	#	#
Number of certified biomedical technicians	#	#
How often is a surgical provider available 24 hours a day?	□ 0 (Never) □ 1-25% □ 26-509	% □ 51-75% □ 76-99% □ 100% (Always
How often is an obstetrics/gynaecology provider available 24 hours a day?		% □ 51-75% □ 76-99% □ 100% (Alway
How often is an anaesthesia provider available 24 hours a day'	? □ 0 (Never) □ 1-25% □ 26-509	% □ 51-75% □ 76-99% □ 100% (Alway
ontinuing Medical Education		
How often do you offer continuing medical education to your staff each year?	☐ Never ☐ Daily/Weekly ☐ Mo	nthly □ Quarterly □ Yearly □ Other



INFORMATION MANAGEMENT			
Information Systems			
What is the method of record keeping in your hospital?	□ Electronic □ Paper □ Both □ None		
Are there personnel in charge of maintaining medical records?	□ Yes □ No		
Are charts accessible across multiple visits for the same patient?	□ Yes □ No		
How often is data prospectively collected for patient outcomes, such as surgical site infection, post op stroke, DVT, etc.?	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
How often is data prospectively collected for post-operative mortality rate?	□ 0 (Never) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (Always)		
How often are you required to report information to the Ministry of Health or an equivalent agency?	□ Never □ Daily/Weekly □ Monthly □ Quarterly □ Yearly		
Do you use telemedicine?	□ Yes □ No		
Research Agenda			
How often does the hospital participate in quality improvement projects, such as mortality & morbidity conferences?	□ Never □ Daily/Weekly □ Monthly □ Quarterly □ Yearly		
How many ongoing research projects does the hospital have?	#		
How many ongoing research projects does the department of surgery have?	#		
FINANCING			
Health financing and accounting			
What percentage of your patients have health insurance?	□ 0 (None) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (All)		
Budget Allocation – please state in US dollars			
What is your total annual hospital operating budget? (in US dolla			
How much of your annual hospital operating budget is allotted to surgery and anaesthesia? (in US dollars)	0 (None) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (All)		
Cost – please state in US dollars			
What is the average out-of-pocket cost to a patient for a C section	on? #		

Health financing and accounting			
What percentage of your patients have health insurance?	□ 0 (None) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (All)		
Budget Allocation – please state in US dollars			
What is your total annual hospital operating budget? (in US dollars)	#		
How much of your annual hospital operating budget is allotted to surgery and anaesthesia? (in US dollars)	□ 0 (None) □ 1-25% □ 26-50% □ 51-75% □ 76-99% □ 100% (AII)		
Cost – please state in US dollars			
What is the average out-of-pocket cost to a patient for a C section?	#		
Average out-of-pocket cost to a patient for an open fracture repair?	#		
Average out-of-pocket cost to a patient for a laparotomy?	#		
Average out-of-pocket cost to a patient for a CBC?	#		
Average out-of-pocket cost to a patient for a Chest X-ray?	#		
Average out-of-pocket cost to a patient for surgery-associated lodging per day?	#		
Average out-of-pocket cost for patient and family transportation per surgery/hospital stay?	#		
Average out-of-pocket cost to a patient for surgery-associated medication per surgery/hospital stay?	#		
Average out-of-pocket cost to a patient for other necessities (e.g. laundry/food) per surgery/hospital stay?	#		

